

05 Downlights Fixed>The COB Downlight Range CCT V

10110CA/W/V



10W CCT Variable LED recessed downlight, IP20.

Complete with non-dimmable driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group 05 Downlights Fixed

Family The COB Downlight Range CCT V

Order Code 10110CA/W/V

Colour White

Material Aluminium

Shape Circular

Height 70mm

Diameter 125mm

Cutout Hole Diameter 100mm

Recessed Ceiling Yes

Depth Required 100mm

Indoor Yes

Adjustable

No

Electrical Characteristics

Gear

External-Included

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

10W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

250mA

Light Source

LED built in

LED Type

COB

Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Output

250mA

Illumination Data

Colour Temperature

3000K-4000K-5000K

Lumen Output

850lm

Light Efficiency

85lm/W

CRI

90

Beam Angle

60°

Illumination Diagram



Packing Info

Box Weight

0.400kg

Pcs/Carton

50

Barcode

5291889085287

HS Code

9405413990

Certification & Warranty

Warranty

3 years

switch to
one light!

