

05 Downlights Fixed>The COB Downlight Range CCT V

10120CA/W/V



20W CCT Variable LED recessed downlight, IP20.

Complete with non-dimmable driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group

05 Downlights Fixed

Family

The COB Downlight Range CCT V

Order Code

10120CA/W/V

Colour

White

Material

Aluminium

Shape

Circular

Height

75mm

Diameter	170mm
Cutout Hole Diameter	145mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	<input type="checkbox"/>
Power(Watts)	20W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	
Fitting	
Input Type	Constant Current
Input Current	500mA
Light Source	LED built in
LED Type	COB
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes

60 Hz

Output

Yes

Protection

500mA

Short Circuit and Overload

Illumination Data

Colour Temperature

3000K-4000K-5000K

Lumen Output

1800lm

Light Efficiency

90lm/W

CRI

90

Beam Angle

60°

Illumination Diagram



Packing Info

Box Weight

0.675kg

Pcs/Carton

20

Barcode

5291889085300

HS Code

9405413990

Certification & Warranty

Warranty

3 years

switch to
one light!

