



05 Downlights Fixed>The COB Downlight Range CCT V

10120CB/W/V



20W CCT Variable LED recessed downlight, IP20.

Complete with non-dimmable driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery





Physical Specification

Item Group
Family
Order Code
Colour
Material
Shape
Height

05 Downlights Fixed
The COB Downlight Range CCT V
10120CB/W/V
White
Aluminium
Circular
85mm

Diameter	195mm
Cutout Hole Diameter	180mm
Recessed Ceiling	Yes
Depth Required	110mm
Indoor	Yes
Adjustable	No

Electrical Characteristics


Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	20W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	500mA
Light Source	LED built in
LED Type	COB

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes

60 Hz	Yes
Output	500mA

Illumination Data

Colour Temperature	3000K-4000K-5000K
Lumen Output	1800lm
Light Efficiency	90lm/W
CRI	90
Beam Angle	60°
Illumination Diagram	

Packing Info

Box Weight	0.915kg
Pcs/Carton	20
Barcode	5291889085317
HS Code	9405413990

Certification & Warranty

Warranty	3 years
----------	---------

switch to
one light!

