


NEW PRODUCTS 2025

EDITION 2

Recessed Spots Fixed




10105ALG | 10W | MR16 | GU10 | Aluminium




Order Code	Colour	Reflector	Watts	Input	Class					Notes
10105ALG/W/BS	White	Brass	10W	100-240V		15cm	78mm	150mm	50	-



10105AD | 10W | MR16 | GU10 | Aluminium




10105AD | 10W | MR16 | GU10 | Aluminium



Order Code	Colour	Reflector	Watts	Input	Class					Notes
10105AD/W/W	White	White	10W	100-240V		15cm	64mm	130mm	36	-
10105AD/B/B	Black	Black	10W	100-240V		15cm	64mm	130mm	36	-



10105D8 | 10W | MR16 | GU10 | Aluminium



Order Code	Colour	Reflector	Watts	Input	Class					Notes
10105D8/B/BS	Black	Brass	10W	100-240V		15cm	62mm	130mm	50	-




10105Y/W

10105Y | 10W | MR16 | GU10 | Aluminium



Complete with 0950GB.




10105Y/B

10105Y | 10W | MR16 | GU10 | Aluminium



Complete with 0950GB.



Order Code	Colour	Watts	Input	Class					Notes
10105Y/W	White	10W	100-240V		15cm	68mm	120mm	50	-
10105Y/B	Black	10W	100-240V		15cm	68mm	120mm	50	-




10105YTR/W

10105YTR | 10W | MR16 | GU10 | Trimless | Aluminium




Complete with 0950GB.




Order Code	Colour	Watts	Input	Class					Notes
10105YTR/W	White	10W	100-240V		15cm	80mm	130mm	50	-

Recessed Spots Fixed LED




10103LB/W/W

10103LB | 3W | COB LED | Aluminium


10103LB/B/W




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
10103LB/W/W	White	Warm white	3000K	3W	300lm	36°	350mA		40cm	38mm	55mm	100	Requires 350mA driver
10103LB/B/W	Black	Warm white	3000K	3W	300lm	36°	350mA		40cm	38mm	55mm	100	Requires 350mA driver




10107DB/B/W

10107DB | 6,5W | COB LED | Aluminium


Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
10107DB/B/W	Black	Warm white	3000K	6,5W	500lm	36°	700mA		40cm	60mm	80mm	50	Requires 700mA driver



10112C/B/W

10112C | 12W | COB LED | Die cast


Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
10112C/B/W	Black	Warm white	3000K	12W	1100lm	40°	700mA		40cm	75mm	120mm	50	Requires 700mA driver

Recessed Spots Fixed LED



10107A/W/W

10107A | 7W | SMD LED | Die cast


Semi-Recessed.



LED
BUILT IN

new

IP20



10107A/B/W

10107A | 7W | SMD LED | Die cast

Semi-Recessed.



LED
BUILT IN

new

IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10107A/W/W	White	Warm white	3000K	7W	600lm	38°	230V				50	Complete with 180mA driver
10107A/B/W	Black	Warm white	3000K	7W	600lm	38°	230V				50	Complete with 180mA driver



10112A/W/W

10112A | 12W | SMD LED | Die cast



Semi-Recessed.



LED
BUILT IN

new

IP20



10112A/B/W

10112A | 12W | SMD LED | Die cast


Semi-Recessed.



LED
BUILT IN

new

IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10112A/W/W	White	Warm white	3000K	12W	1100lm	38°	230V				50	Complete with 300mA driver
10112A/B/W	Black	Warm white	3000K	12W	1100lm	38°	230V				50	Complete with 300mA driver


Downlights Fixed LED



10110U | 10W | SMD LED | Die cast



new
IP44




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class				Notes
10110U/W/V	White	CCT V	3000K-4000K-6000K	10W	850lm	230V		86mm	55mm	40	Complete with 200mA driver



10124U | 24W | SMD LED | Die cast



new
IP44




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class				Notes
10124U/W/V	White	CCT V	3000K-4000K-6000K	24W	2000lm	230V		160mm	55mm	20	Complete with 500mA driver




10130U | 30W | SMD LED | Die cast



new
IP44




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class				Notes
10130U/W/V	White	CCT V	3000K-4000K-6000K	30W	2500lm	230V		205mm	65mm	10	Complete with 750mA driver






50140BW | 40W | SMD LED | 595x595mm | Aluminium + Steel

Backlit.



new
IP65





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class			Notes
50140BW/W/V	White	CCT V	3000K-4000K-5700K	40W	4000lm	230V		60mm	4	Complete with IP65 950mA driver

Downlights Fixed LED



10107B/W/V

10107B | 7W | SMD LED | Die cast





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
10107B/W/V	White	CCT V	3000K-4000K-5000K	7W	540lm	90°	230V			65mm	70mm	50	Complete with 180mA driver



10113B/W/V

10113B | 13W | SMD LED | Die cast



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
10113B/W/V	White	CCT V	3000K-4000K-5000K	13W	950lm	90°	230V			95mm	70mm	24	Complete with 300mA driver



10118B/W/V

10118B | 18W | SMD LED | Die cast




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
10118B/W/V	White	CCT V	3000K-4000K-5000K	18W	1400lm	90°	230V			140mm	70mm	30	Complete with 450mA driver



10125B/W/V

10125B | 25W | SMD LED | Die cast





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
10125B/W/V	White	CCT V	3000K-4000K-5000K	25W	2000lm	90°	230V			210mm	80mm	10	Complete with 650mA driver

Downlights Fixed LED




10109D | 12W | SMD LED | Die cast



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Lighting	Height	Box	Notes
10109D/W/V	White	CCT V	3000K-4000K-5000K	12W	1000lm	100°	230V		110mm	70mm	40	Complete with 300mA driver
10109D/B/V	Black	CCT V	3000K-4000K-5000K	12W	1000lm	100°	230V		110mm	70mm	40	Complete with 300mA driver





10122D | 22W | SMD LED | Die cast



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Lighting	Height	Box	Notes
10122D/W/V	White	CCT V	3000K-4000K-5000K	22W	1900lm	100°	230V		165mm	75mm	20	Complete with 600mA driver
10122D/B/V	Black	CCT V	3000K-4000K-5000K	22W	1900lm	100°	230V		165mm	75mm	20	Complete with 600mA driver




10109FD | 9W | SMD LED | Die cast



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Lighting	Height	Box	Notes
10109FD/W/V	White	CCT V	3000K-4000K-5000K	9W	900lm	100°	230V		111mm	80mm	40	Complete with 220mA driver
10109FD/B/V	Black	CCT V	3000K-4000K-5000K	9W	900lm	100°	230V		111mm	80mm	40	Complete with 220mA driver




10120FD | 20W | SMD LED | Die cast






Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Lighting	Height	Box	Notes
10120FD/W/V	White	CCT V	3000K-4000K-5000K	20W	2000lm	100°	230V		166mm	85mm	20	Complete with 500mA driver
10120FD/B/V	Black	CCT V	3000K-4000K-5000K	20W	2000lm	100°	230V		166mm	85mm	20	Complete with 500mA driver

Strips & Profiles



7843E | 10W/m | COB LED | 400LEDs/m | Ultra slim

3M Double face adhesive.





Order Code	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
7843E/C	Cool white	4000K	10W/m	900lm/m	24V DC	III	50	Requires 24V DC driver
7843E/W	Warm white	3000K	10W/m	810lm/m	24V DC	III	50	Requires 24V DC driver
7843E/EW	Extra warm white	2700K	10W/m	790lm/m	24V DC	III	50	Requires 24V DC driver



7844E | 10,5W/m | COB LED | 480LEDs/m

3M Double face adhesive.






Order Code	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
7844E/C	Cool white	4000K	10,5W/m	950lm/m	24V DC	III	40	Requires 24V DC driver
7844E/W	Warm white	3000K	10,5W/m	860lm/m	24V DC	III	40	Requires 24V DC driver
7844E/EW	Extra warm white	2700K	10,5W/m	820lm/m	24V DC	III	40	Requires 24V DC driver



7844 | 10W/m | COB LED | 480LEDs/m

Supplied in 5m roll / 3M Double face adhesive.





Order Code	Light Colour	CCT (K)	Watts	Input	Class		Notes
7844/A	Amber	2000K	10W/m	24V DC	III	50	Requires 24V DC driver



7846 | RGBW | 18W/m | COB LED | 840LEDs/m

Supplied in 5m roll / 3M Double face adhesive.



Order Code	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
7846/RGBW	RGB + Warm white	RGB + 3000K	RGB 12W/m + WW 6W/m	500lm/m (3000K)	24V DC	III	50	Requires 24V DC driver



Strips & Profiles



7940/B

new

7940 | Wall-to-wall kit | Aluminium | Suitable for LED strips up to 15mm



Order Code	Colour		Notes
7940/B	Black	20	Requires 7940A/B or 7940B/B



7940A/B

new

7940A | 10m Metal belt for 7940 | Suitable for LED strips up to 15mm



Order Code	Colour		Notes
7940A/B	Black	20	-




7940B/B

new

7940B | 20m Metal belt for 7940 | Suitable for LED strips up to 15mm




Order Code	Colour		Notes
7940B/B	Black	20	-



new

7900/W | 2m Profile for heat dissipation | Aluminium | Suitable for LED Strips up to 12mm




Order Code	Colour		Notes
7900/W	White	50	-

Strips & Profiles



38104B | 4W | SMD LED | Plastic

Connect 25 fittings maximum.




Order Code	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class			Notes
38104B/V	CCT V	3000K-4000K-6000K	4W	440lm	230V			120cm 30	Complete with driver



38108B | 8W | SMD LED | Plastic

Connect 12 fittings maximum.





Order Code	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class			Notes
38108B/V	CCT V	3000K-4000K-6000K	8W	880lm	230V			120cm 30	Complete with driver



38114B | 14W | SMD LED | Plastic

Connect 7 fittings maximum.



Order Code	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class			Notes
38114B/V	CCT V	3000K-4000K-6000K	14W	1540lm	230V			120cm 30	Complete with driver

Track Lights




65105NT | 10W | MR16 | GU10 | Aluminium



new

DARK LIGHT

IP20



Order Code	Colour	Reflector	Watts	Input	Class		Notes
65105NT/W/W	White	White	10W	100-240V		12	-
65105NT/B/B	Black	Black	10W	100-240V		12	-




65105DT | 10W | MR16 | GU10 | Aluminium



new

DARK LIGHT

IP20





65105DT | 10W | MR16 | GU10 | Aluminium



new

DARK LIGHT

IP20



Order Code	Colour	Reflector	Watts	Input	Class		Notes
65105DT/W	White	Black & White	10W	100-240V		40	-
65105DT/B	Black	Black & Brass	10W	100-240V		40	-




63108AT | 8W | COB LED | Die cast



new



IP20



Order Code	Colour	Reflector	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
63108AT/W/W	White	White	Warm white	3000K	8W	560lm	36°	230V		20	Complete with 300mA driver
63108AT/B/W	Black	Black	Warm white	3000K	8W	560lm	36°	230V		20	Complete with 300mA driver




65026T | 40W | SMD LED | Linear track light | Aluminium + plastic



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65026T/W/V	White	CCT V	3000K-4000K-5000K	40W	3400lm	100°	230V	⊕	10	Complete with 1000mA driver
65026T/B/V	Black	CCT V	3000K-4000K-5000K	40W	3400lm	100°	230V	⊕	10	Complete with 1000mA driver




65018T | 16W | SMD LED | Linear track light | Aluminium + PC



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65018T/W/V	White	CCT V	3000K-4000K-5000K	16W	1600lm	110°	100-240V	⊕	12	Complete with 400mA driver
65018T/B/V	Black	CCT V	3000K-4000K-5000K	16W	1600lm	110°	100-240V	⊕	12	Complete with 400mA driver





65025T | 25W | SMD LED | Linear track light | Aluminium + PC



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65025T/W/V	White	CCT V	3000K-4000K-5000K	25W	2500lm	110°	100-240V	⊕	12	Complete with 600mA driver
65025T/B/V	Black	CCT V	3000K-4000K-5000K	25W	2500lm	110°	100-240V	⊕	12	Complete with 600mA driver



65170BT | 60W PV | SMD LED | Linear track light | Aluminium



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65170BT/W/V	White	CCT V	3000K-4000K-5000K	40W-50W-60W	5400lm@60W	90°	230V	⊕	12	Complete with PV driver
65170BT/B/V	Black	CCT V	3000K-4000K-5000K	40W-50W-60W	5400lm@60W	90°	230V	⊕	12	Complete with PV driver


Tracks & Magnetic



42003 | 48V | 3m Magnetic profile | ON/OFF / DALI | Aluminium Max 10m/driver | Max 400W/circuit.



new



Order Code	Colour	Length	Input	Class		Notes
42003/B	Black	3m	48V	III	1	-




42100AL | 15W | SMD LED | Linear light | DALI | Aluminium + PC



new

IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
42100AL/B/W	Black	Warm white	3000K	15W	1200lm	120°	48V	III	40	-




12105AL/W/W

12105AL | 10W | MR16 | GU10 | Aluminium



12105AL/W/BS

12105AL | 10W | MR16 | GU10 | Aluminium




Order Code	Colour	Reflector	Watts	Input	Class		Notes
12105AL/W/W	White	White	10W	100-240V	⌚	20	-
12105AL/W/BS	White	Brass	10W	100-240V	⌚	20	-




12105N/W/W

12105N | 10W | MR16 | GU10 | Aluminium



12105N/B/B

12105N | 10W | MR16 | GU10 | Aluminium




Order Code	Colour	Reflector	Watts	Input	Class		Notes
12105N/W/W	White	White	10W	100-240V	⌚	36	-
12105N/B/B	Black	Black	10W	100-240V	⌚	36	-

Office & Kitchen


38150A | 40W PV | SMD LED | Linear system | Diffuser | Aluminium


Can be connected in line.






Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class			Notes
38150A/W/V	White	CCT V	3000K-4000K-5000K	20W-30W-40W	3400lm@40W	230V	⊕	300cm	12	Complete with PV driver
38150A/B/V	Black	CCT V	3000K-4000K-5000K	20W-30W-40W	3400lm@40W	230V	⊕	300cm	12	Complete with PV driver


38151A | 50W PV | SMD LED | Linear system | Diffuser | Aluminium

Can be connected in line.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class			Notes
38151A/W/V	White	CCT V	3000K-4000K-5000K	30W-40W-50W	4250lm@50W	230V	⊕	300cm	9	Complete with PV driver
38151A/B/V	Black	CCT V	3000K-4000K-5000K	30W-40W-50W	4250lm@50W	230V	⊕	300cm	9	Complete with PV driver


050170D | 14W PV | SMD LED | Corner for 38150A & 38151A | Diffuser | Aluminium

050170D | 14W PV | SMD LED | Corner for 38150A & 38151A | Diffuser | Aluminium


Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class			Notes
050170D/W/V	White	CCT V	3000K-4000K-5000K	6W-8W-10W-14W	680lm@8W	230V	⊕	150cm	10	Complete with PV driver
050170D/B/V	Black	CCT V	3000K-4000K-5000K	6W-8W-10W-14W	680lm@8W	230V	⊕	150cm	10	Complete with PV driver



38160A/W/V

38160A | 40W PV | SMD LED | Linear system | Diffuser | Aluminium


Can be connected in line.

new
IP20

90 CRI
CCT V
CE 3 YEAR UGR19

LED BUILT IN
PV

Complete with
4 fixing clips & 4 connectors.



38160A/B/V

38160A | 40W PV | SMD LED | Linear system | Diffuser | Aluminium


Can be connected in line.

new
IP20

90 CRI
CCT V
CE 3 YEAR UGR19

LED BUILT IN
PV

Complete with
4 fixing clips & 4 connectors.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class			Notes
38160A/W/V	White	CCT V	3000K-4000K-5000K	20W-30W-40W	3400lm@40W	230V		300cm	12	Complete with PV driver
38160A/B/V	Black	CCT V	3000K-4000K-5000K	20W-30W-40W	3400lm@40W	230V		300cm	12	Complete with PV driver



38161A/W/V

38161A | 50W PV | SMD LED | Linear System | Diffuser | Aluminium

Can be connected in line.

new
IP20

90 CRI
CCT V
CE 3 YEAR UGR19

LED BUILT IN
PV

Complete with
5 fixing clips & 4 connectors.



38161A/B/V

38161A | 50W PV | SMD LED | Linear System | Diffuser | Aluminium

Can be connected in line.

new
IP20

90 CRI
CCT V
CE 3 YEAR UGR19

LED BUILT IN
PV

Complete with
5 fixing clips & 4 connectors.





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class			Notes
38161A/W/V	White	CCT V	3000K-4000K-5000K	30W-40W-50W	4250lm@50W	230V		300cm	9	Complete with PV driver
38161A/B/V	Black	CCT V	3000K-4000K-5000K	30W-40W-50W	4250lm@50W	230V		300cm	9	Complete with PV driver

Office & Kitchen


38150B | 40W PV | 48LEDs | Linear system | Aluminium



Can be connected in line.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	⚡	📦	Notes
38150B/W/V	White	CCT V	3000K-4000K-5000K	20W-30W-40W	3800lm@40W	34°	230V	⚡	300cm	12	Complete with PV driver
38150B/B/V	Black	CCT V	3000K-4000K-5000K	20W-30W-40W	3800lm@40W	34°	230V	⚡	300cm	12	Complete with PV driver


38150C | 40W PV | 24LEDs + Diffuser | Linear system | Aluminium

Can be connected in line.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	⚡	📦	Notes
38150C/W/V	White	CCT V	3000K-4000K-5000K	20W-30W-40W	3400lm@40W	230V	⚡	300cm	12	Complete with PV driver
38150C/B/V	Black	CCT V	3000K-4000K-5000K	20W-30W-40W	3400lm@40W	230V	⚡	300cm	12	Complete with PV driver


38150BU | 40W PV + 25W PV Uplight | 48LEDs + Diffuser | Linear system | Aluminium


Can be connected in line.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	⚡	📦	Notes
38150BU/W/V	White	CCT V	3000K-4000K-5000K	20W-30W-40W+16W-20W-25W	3800lm/1800lm	34°/120°	230V	⚡	300cm	12	Complete with 2x PV drivers
38150BU/B/V	Black	CCT V	3000K-4000K-5000K	20W-30W-40W+16W-20W-25W	3800lm/1800lm	34°/120°	230V	⚡	300cm	12	Complete with 2x PV drivers


38145BR | 40W PV | SMD LED | Recessed linear system | Aluminium

Can be connected in line.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	⚡	📏	📦	Notes
38145BR/W/V	White	CCT V	3000K-4000K-5000K	20W-30W-40W	4000lm@40W	34°	230V	⚡	1280x37mm	80mm	12	Complete with PV driver




38145AR/W/V

38145AR | 40W PV | SMD LED | Recessed linear system | Aluminium

Can be connected in line.



Complete with 6pcs fixing clips, 4pcs connectors & 2pcs end caps.




38145AR/B/V

38145AR | 40W PV | SMD LED | Recessed linear system | Aluminium

Can be connected in line.



Complete with 6pcs fixing clips, 4pcs connectors & 2pcs end caps.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class				Notes
38145AR/W/V	White	CCT V	3000K-4000K-5000K	20W-30W-40W	3800lm@40W	230V		1200x37mm	80mm	12	Complete with PV driver
38145AR/B/V	Black	CCT V	3000K-4000K-5000K	20W-30W-40W	3800lm@40W	230V		1200x37mm	80mm	12	Complete with PV driver




38152R/W/V

38152R | 40W PV | SMD LED | Recessed linear system | Aluminium

Can be connected in line.



Complete with 6pcs fixing clips, 4pcs connectors & 2pcs end caps.




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
38152R/W/V	White	CCT V	3000K-4000K-5000K	20W-30W-40W	3600lm@40W	120°	230V		1200x60mm	80mm	12	Complete with PV driver




38152RC/W/V

38152RC | 14W PV | SMD LED | Corner for 38152R | Aluminium



Complete with 4pcs fixing clips, 4pcs connectors.





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
38152RC/W/V	White	CCT V	3000K-4000K-5000K	6W-8W-10W-14W	720lm@8W	120°	230V		160x160x60mm	80mm	10	Complete with PV driver

Wall & Ceiling LED




12112D | 12W | SMD LED | Aluminium



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12112D/W/V	White	CCT V	3000K-4000K-5000K	12W	1200lm	120°	230V	⌚	30	Complete with 300mA driver
12112D/B/V	Black	CCT V	3000K-4000K-5000K	12W	1200lm	120°	230V	⌚	30	Complete with 300mA driver




12120D | 20W | SMD LED | Aluminium




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12120D/W/V	White	CCT V	3000K-4000K-5000K	20W	2000lm	120°	230V	⌚	30	Complete with 500mA driver
12120D/B/V	Black	CCT V	3000K-4000K-5000K	20W	2000lm	120°	230V	⌚	30	Complete with 500mA driver




12125D | 25W | SMD LED | Aluminium



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12125D/W/V	White	CCT V	3000K-4000K-5000K	25W	2500lm	120°	230V	⌚	20	Complete with 650mA driver
12125D/B/V	Black	CCT V	3000K-4000K-5000K	25W	2500lm	120°	230V	⌚	20	Complete with 650mA driver





12130D | 30W | SMD LED | Aluminium



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12130D/W/V	White	CCT V	3000K-4000K-5000K	30W	3000lm	120°	230V	⌚	12	Complete with 750mA driver
12130D/B/V	Black	CCT V	3000K-4000K-5000K	30W	3000lm	120°	230V	⌚	12	Complete with 750mA driver






12107R | 7W | COB LED | Dimmable | Aluminium



Order Code	Colour	Reflector	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12107R/W/W	White	Black	Warm white	3000K	7W	500lm	38°	230V	⊕	50	AC LED
12107R/B/W	Black	Black	Warm white	3000K	7W	500lm	38°	230V	⊕	50	AC LED





12110R | 10W | COB LED | Aluminium



Order Code	Colour	Reflector	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12110R/W/W	White	Black	Warm white	3000K	10W	1000lm	38°	230V	⊕	30	Complete with 250mA driver
12110R/B/W	Black	Black	Warm white	3000K	10W	1000lm	38°	230V	⊕	30	Complete with 250mA driver





12118R | 18W | COB LED | Aluminium



Order Code	Colour	Reflector	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12118R/W/W	White	Black	Warm white	3000K	18W	1800lm	38°	230V	⊕	20	Complete with 450mA driver
12118R/B/W	Black	Black	Warm white	3000K	18W	1800lm	38°	230V	⊕	20	Complete with 450mA driver



12125R | 25W | COB LED | Aluminium



Order Code	Colour	Reflector	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12125R/W/W	White	Black	Warm white	3000K	25W	2500lm	38°	230V	⊕	18	Complete with 650mA driver
12125R/B/W	Black	Black	Warm white	3000K	25W	2500lm	38°	230V	⊕	18	Complete with 650mA driver



Wall & Ceiling LED



65004A | 5W | COB LED | Aluminium





new
IP20



65004A | 5W | COB LED | Aluminium



new
IP20





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65004A/W/W	White	Warm white	3000K	5W	450lm	36°	230V		30	Complete with 500mA driver
65004A/B/W	Black	Warm white	3000K	5W	450lm	36°	230V		30	Complete with 500mA driver



65004B | 2x5W | COB LED | Aluminium





new
IP20



65004B | 2x5W | COB LED | Aluminium



new
IP20






Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65004B/W/W	White	Warm white	3000K	2x5W	900lm	36°	230V		24	Complete with 220mA driver
65004B/B/W	Black	Warm white	3000K	2x5W	900lm	36°	230V		24	Complete with 220mA driver



65004C | 3x5W | COB LED | Aluminium



new
IP20





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65004C/W/W	White	Warm white	3000K	3x5W	1350lm	36°	230V		12	Complete with 500mA driver
65004C/B/W	Black	Warm white	3000K	3x5W	1350lm	36°	230V		12	Complete with 500mA driver



65004D | 3x5W | COB LED | Aluminium



new
IP20





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65004D/W/W	White	Warm white	3000K	3x5W	1350lm	36°	230V		8	Complete with 500mA driver
65004D/B/W	Black	Warm white	3000K	3x5W	1350lm	36°	230V		8	Complete with 500mA driver



65004E | 4x5W | COB LED | Aluminium



new
IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65004E/W/W	White	Warm white	3000K	4x5W	1800lm	36°	230V		6	Complete with 500mA driver
65004E/B/W	Black	Warm white	3000K	4x5W	1800lm	36°	230V		6	Complete with 500mA driver




65748 | 12W | SMD LED | Solar powered | Night sensor + PIR sensor | PC + ABS

4 modes of operation.



new
Solar
IP54

Mode 1: 100% output for 18 seconds when motion detected.
Mode 2: Fixed 30 lumen output. 100% output for 18 seconds when motion detected.
Mode 3: Fixed 30 lumen output.
Mode 4: Sleep mode.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)		Notes
65748/B/C	Black	Cool white	4000K	12W	1600lm	20	2x2200mAh lithium battery


Plafo



62006 | 18W | SMD LED | ABS Body



new
IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62006/W/V	White	CCT V	2800K-3200K-4000K	18W	1440lm	230V		10	Complete with driver
62006/B/V	Black	CCT V	2800K-3200K-4000K	18W	1440lm	230V		10	Complete with driver



62006A | 24W | SMD LED | ABS Body



new
IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62006A/W/V	White	CCT V	2800K-3200K-4000K	24W	1920lm	230V		10	Complete with driver
62006A/B/V	Black	CCT V	2800K-3200K-4000K	24W	1920lm	230V		10	Complete with driver



62006B | 32W | SMD LED | ABS Body



new
IP20





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62006B/W/V	White	CCT V	2800K-3200K-4000K	32W	2560lm	230V		10	Complete with driver
62006B/B/V	Black	CCT V	2800K-3200K-4000K	32W	2560lm	230V		10	Complete with driver



62006C/W/V

62006C | 40W | SMD LED | ABS Body





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62006C/W/V	White	CCT V	2800K-3200K-4000K	40W	3200lm	230V		8	Complete with driver



62006C/B/V

62006C | 40W | SMD LED | ABS Body





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62006C/B/V	Black	CCT V	2800K-3200K-4000K	40W	3200lm	230V		8	Complete with driver



62006D/W/V

62006D | 50W | SMD LED | ABS Body





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62006D/W/V	White	CCT V	2800K-3200K-4000K	50W	4000lm	230V		4	Complete with driver



62006D/B/V

62006D | 50W | SMD LED | ABS Body



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62006D/B/V	Black	CCT V	2800K-3200K-4000K	50W	4000lm	230V		4	Complete with driver


Plafo




62134N | 30W | SMD LED | Aluminium





new
IP20



62134N | 30W | SMD LED | Dimmable | Aluminium




new
IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
62134N/W/V	White	CCT V	2700K-3000K-4000K	30W	2550lm	120°	230V		1	Complete with 700mA driver
62134N/B/V	Black	CCT V	2700K-3000K-4000K	30W	2550lm	120°	230V		1	Complete with 700mA dimmable driver
62134N/BBS/V	Brushed brass	CCT V	2700K-3000K-4000K	30W	2550lm	120°	230V		1	Complete with 700mA dimmable driver
62134N/BGL/V	Brushed gold	CCT V	2700K-3000K-4000K	30W	2550lm	120°	230V		1	Complete with 700mA dimmable driver



62142N | 42W | SMD LED | Dimmable | Aluminium




new
IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
62142N/W/V	White	CCT V	2700K-3000K-4000K	42W	3570lm	120°	230V		1	Complete with 1050mA dimmable driver



62132NA | 38W | SMD LED | Dimmable | Aluminium



new
IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
62132NA/W/V	White	CCT V	2700K-3000K-4000K	38W	3230lm	120°	230V		1	Complete with 1050mA dimmable driver
62132NA/B/V	Black	CCT V	2700K-3000K-4000K	38W	3230lm	120°	230V		1	Complete with 1050mA dimmable driver




62130L/W/V

62130L | 30W | SMD LED | Dimmable | Aluminium




62130L/B/V




62130L/BBS/V

62130L | 30W | SMD LED | Dimmable | Aluminium



62130L/BGL/V




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
62130L/W/V	White	CCT V	2700K-3000K-4000K	30W	2550lm	120°	230V	⊕	1	Complete with 700mA dimmable driver
62130L/B/V	Black	CCT V	2700K-3000K-4000K	30W	2550lm	120°	230V	⊕	1	Complete with 700mA dimmable driver
62130L/BBS/V	Brushed brass	CCT V	2700K-3000K-4000K	30W	2550lm	120°	230V	⊕	1	Complete with 700mA dimmable driver
62130L/BGL/V	Brushed gold	CCT V	2700K-3000K-4000K	30W	2550lm	120°	230V	⊕	1	Complete with 700mA dimmable driver




62148L/W/V

62148L | 48W | SMD LED | Dimmable | Aluminium




62148L/B/V




62148L/B/V

62148L | 48W | SMD LED | Dimmable | Aluminium



62148L/B/V



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
62148L/W/V	White	CCT V	2700K-3000K-4000K	48W	4080lm	120°	230V	⊕	1	Complete with 1200mA dimmable driver
62148L/B/V	Black	CCT V	2700K-3000K-4000K	48W	4080lm	120°	230V	⊕	1	Complete with 1200mA dimmable driver


Plafo



67366/W/V

67366 | 12W | SMD LED | PC

Emergency version 67366E/W/V.




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67366/W/V	White	CCT V	3000K-4000K-5000K	12W	1000lm	230V		20	Complete with 160mA driver



67368/W/V

67368 | 18W | SMD LED | PC




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67368/W/V	White	CCT V	3000K-4000K-5000K	18W	1500lm	230V		10	Complete with 250mA driver



67370/W/V

67370 | 25W | SMD LED | PC



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67370/W/V	White	CCT V	3000K-4000K-5000K	25W	2000lm	230V		10	Complete with 300mA driver




67220A/W/V

67220A | 26W | SMD LED | PC



67220A/B/V



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67220A/W/V	White	CCT V	3000K-4000K-6000K	26W	2750lm	230V		5	Complete with 145mA driver
67220A/B/V	Black	CCT V	3000K-4000K-6000K	26W	2750lm	230V		5	Complete with 145mA driver




67220B/W/V

67220B | 35W | SMD LED | PC



67220B/B/V




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67220B/W/V	White	CCT V	3000K-4000K-6000K	35W	3675lm	230V		5	Complete with 145mA driver
67220B/B/V	Black	CCT V	3000K-4000K-6000K	35W	3675lm	230V		5	Complete with 145mA driver



67220E/W/V

67220E | 35W | SMD LED | PC




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67220E/W/V	White	CCT V	3000K-4000K-6000K	35W	3675lm	230V		5	Complete with 140mA driver



67498/W/V

67498 | 20W | SMD LED | ABS + PC




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67498/W/V	White	CCT V	3000K-4000K-6500K	20W	1300lm	230V		10	Complete with 500mA driver.

Pendants




63146A | 5x7W | MR16 | GU10 | Aluminium



new
IP20



63146A | 5x7W | MR16 | GU10 | Aluminium




new
IP20

Order Code	Colour	Watts	Input	Class		Notes
63146A/B	Black	5x7W	100-240V	⊕	1	-
63146A/BBS	Brushed Brass	5x7W	100-240V	⊕	1	-




63146B | 7x7W | MR16 | GU10 | Aluminium



new
IP20



63146B | 7x7W | MR16 | GU10 | Aluminium



new
IP20

Order Code	Colour	Watts	Input	Class		Notes
63146B/B	Black	7x7W	100-240V	⊕	1	-
63146B/BBS	Brushed Brass	7x7W	100-240V	⊕	1	-




63146C | 10x7W | MR16 | GU10 | Aluminium



new

IP20




63146C | 10x7W | MR16 | GU10 | Aluminium



new

IP20



Order Code	Colour	Watts	Input	Class		Notes
63146C/B	Black	10x7W	100-240V	⊕	1	-
63146C/BBS	Brushed Brass	10x7W	100-240V	⊕	1	-




63146D | 15x7W | MR16 | GU10 | Aluminium



new

IP20




63146D | 15x7W | MR16 | GU10 | Aluminium



new

IP20




Order Code	Colour	Watts	Input	Class		Notes
63146D/B	Black	15x7W	100-240V	⊕	1	-
63146D/BBS	Brushed Brass	15x7W	100-240V	⊕	1	-

Decorative




63152A/B/W

63152A | 20W | SMD LED | Dimmable | Aluminium



new
IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
63152A/B/W	Black	Warm white	3000K	20W	1400lm	230V	⊕	1	Complete with 500mA dimmable driver




63152B/B/W

63152B | 30W | SMD LED | Dimmable | Aluminium



new
IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
63152B/B/W	Black	Warm white	3000K	30W	2100lm	230V	⊕	1	Complete with 700mA dimmable driver




63152C/B/W

63152C | 40W | SMD LED | Dimmable | Aluminium



new
IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
63152C/B/W	Black	Warm white	3000K	40W	2800lm	230V	⊕	1	Complete with 1050mA dimmable driver



63150/B/W

63150 | 48W | SMD LED | Dimmable | Aluminium

new
IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
63150/B/W	Black	Warm white	3000K	48W	3550lm	230V	⊕	1	Complete with 1200mA dimmable driver



63150A/B/W

63150A | 65W | SMD LED | Dimmable | Aluminium

new
IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
63150A/B/W	Black	Warm white	3000K	65W	4800lm	230V	⊕	1	Complete with 2x700mA dimmable drivers



63150B/B/W

63150B | 65W | SMD LED | Dimmable | Aluminium

new
IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
63150B/B/W	Black	Warm white	3000K	65W	4800lm	230V	⊕	1	Complete with 2x700mA dimmable drivers



63150C/B/W

63150C | 100W | SMD LED | Dimmable | Aluminium

new
IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
63150C/B/W	Black	Warm white	3000K	100W	7400lm	230V	⊕	1	Complete with 2x1200mA dimmable drivers

Decorative



63154A/B/W

63154A | 40W | SMD LED | Dimmable | Aluminium


80 CRI TRIAC DIMMABLE LED BUILT IN CE

3 YEAR

new IP20



63154A/CH/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
63154A/B/W	Black	Warm white	3000K	40W	2800lm	230V	⌚	1	Complete with 1050mA dimmable driver
63154A/CH/W	Champagne	Warm white	3000K	40W	2800lm	230V	⌚	1	Complete with 1050mA dimmable driver



63154B/B/W

63154B | 20W | SMD LED | Dimmable | Aluminium


80 CRI TRIAC DIMMABLE LED BUILT IN CE

3 YEAR

new IP20



63154B/CH/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
63154B/B/W	Black	Warm white	3000K	20W	1400lm	230V	⌚	1	Complete with 500mA dimmable driver
63154B/CH/W	Champagne	Warm white	3000K	20W	1400lm	230V	⌚	1	Complete with 500mA dimmable driver



63154C/B/W

63154C | 40W | SMD LED | Dimmable | Aluminium


80 CRI TRIAC DIMMABLE LED BUILT IN CE

3 YEAR

new IP20



63154C/CH/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
63154C/B/W	Black	Warm white	3000K	40W	2800lm	230V	⌚	1	Complete with 1050mA dimmable driver
63154C/CH/W	Champagne	Warm white	3000K	40W	2800lm	230V	⌚	1	Complete with 1050mA dimmable driver



63154D/B/W

63154D | 60W | SMD LED | Dimmable | Aluminium


80 CRI TRIAC DIMMABLE LED BUILT IN CE

3 YEAR

new IP20



63154D/CH/W





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
63154D/B/W	Black	Warm white	3000K	60W	4200lm	230V	⌚	1	Complete with 2x700mA dimmable drivers
63154D/CH/W	Champagne	Warm white	3000K	60W	4200lm	230V	⌚	1	Complete with 2x700mA dimmable drivers



65148A | 12W | SMD LED | Aluminium





new
IP20



65148A | 12W | SMD LED | Aluminium



new
IP20





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
65148A/W/W	White	Warm white	3000K	12W	950lm	230V		12	Complete with 280mA driver
65148A/B/W	Black	Warm white	3000K	12W	950lm	230V		12	Complete with 280mA driver



65148B | 15W | SMD LED | Aluminium





new
IP20



65148B | 15W | SMD LED | Aluminium




new
IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
65148B/W/W	White	Warm white	3000K	15W	1200lm	230V		12	Complete with 350mA driver
65148B/B/W	Black	Warm white	3000K	15W	1200lm	230V		12	Complete with 350mA driver

Decorative




63076A/B/W

63076A | 5W | COB LED | Aluminium



new

IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
63076A/B/W	Black	Warm white	3000K	5W	300lm	230V	⚡	6	Complete with 500mA driver




63076C/B/W

63076C | 5x5W | COB LED | Aluminium




new

IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
63076C/B/W	Black	Warm white	3000K	5x5W	1500lm	230V	⚡	1	Complete with 2x500mA drivers




63076D/B/W

63076D | 9x5W | COB LED | Aluminium




new

IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
63076D/B/W	Black	Warm white	3000K	9x5W	2700lm	230V	⚡	1	Complete with 3x500mA drivers




63076E/B/W

63076E | 5x5W | COB LED | Aluminium



new

IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
63076E/B/W	Black	Warm white	3000K	5x5W	1500lm	230V	⚡	1	Complete with 5x500mA drivers


Wall Recessed & Inground



69028A | 2W | LED | Stainless Steel 316



new
IP67




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	⏏	⚡	⬆	📦	Notes
69028A/W	Stainless steel	Warm white	3000K	2W	90lm	30°	230V	⚡	200cm	100mm	130mm+300mm drainage	12	AC LED


Garden & Underwater



67508A | 8W | SMD LED | Die cast




new
IP65




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	📦	Notes
67508A/AN/C	Anthracite	Cool white	4000K	8W	600lm	230V	⚡	2	Complete with 500mA driver
67508A/AN/W	Anthracite	Warm white	3000K	8W	600lm	230V	⚡	2	Complete with 500mA driver



67508B | 8W | SMD LED | LED Bollard with 2xSchuko Sockets 1000W each | Die cast



new
IP65





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	📦	Notes
67508B/AN/C	Anthracite	Cool white	4000K	8W	600lm	230V	⚡	2	Complete with 500mA driver
67508B/AN/W	Anthracite	Warm white	3000K	8W	600lm	230V	⚡	2	Complete with 500mA driver


Industrial & Floodlights




38115LB | 15W | SMD LED | PC



38130LB | 30W | SMD LED | PC






38150LB | 50W | SMD LED | PC



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
38115LB/V	White	CCT V	3000K-4000K-6000K	15W	1725lm	230V		15	Complete with 140mA driver
38130LB/V	White	CCT V	3000K-4000K-6000K	30W	3450lm	230V		12	Complete with 230mA driver
38150LB/V	White	CCT V	3000K-4000K-6000K	50W	5750lm	230V		9	Complete with 300mA driver



70112 | 75W PV | LED | Die cast




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class			Notes
70112/B/V	Black	CCT V	2700K-3300K-4000K	25W-40W-60W-75W	8250lm@75W	120-240V		150cm	1	Complete with PV driver




89001/EME | 1-30W | Built-in Emergency kit for LED fittings | Emergency 3Hrs Maintained | Use inside fittings/Self-test.



new
IP20



WIRING DIAGRAM



This kit will only operate with LED Fittings/Strips 1-30W suitable for 9-45V DC power supply. The driver automatically adjusts the output LED current to provide the optimum match between the battery and the load, providing maximum illumination whilst ensuring full battery duration.

Emergency mode light output compared with normal operation:

Luminaire Power	5W	10W	15W	20W	25W	30W
	20%	10%	7%	5%	4%	3%

Order Code	Input	Watts	Class	Battery Type	Charge Period	Battery Duration	Notes
89001/EME	230V	1-30W		LiFePO4 3,2V 1,6Ah	24Hrs	3Hrs	50 Supplied with battery


Emergency Lights




89005B/EME | 5-50W | Emergency kit for LED Downlights and LED strips | Emergency 3Hrs Maintained | Self-test.



new
IP20



WIRING DIAGRAM



This kit will only operate with LED Fittings/Strips 5-50W suitable for 8-60V DC power supply.
The driver automatically adjusts the output LED current to provide the optimum match between the battery and the load, providing maximum illumination whilst ensuring full battery duration.

Emergency mode light output compared with normal operation:

Luminaire Power	5W	7W	10W	12W	15W	20W	25W	30W	35W	40W	45W	50W
	50%	35%	25%	20%	17%	12%	10%	8%	7%	6%	6%	5%

Order Code	Input	Watts	Class	Battery Type	Charge Period	Battery Duration		Notes
89005B/EME	230V	5-50W		LiFePO4 3,2V 3,2Ah	24Hrs	3Hrs	25	Supplied with battery

TRIAC Dimmable Mini Series

Constant current



89007T | 3,5-7W | 350mA | TRIAC | Dimmable



new

IP20



Order Code	Input	Power	Output	Class	Dimmable		Notes
89007T	230V	3,5-7W	350mA		YES	100	Use TRIAC dimmer



89010AT | 5-10W | 700mA | TRIAC | Dimmable



new

IP20



Order Code	Input	Power	Output	Class	Dimmable		Notes
89010AT	230V	5-10W	700mA		YES	100	Use TRIAC dimmer

The TRIAC Dimmable Range

100-350mA Constant current



89009UT | TRIAC | Dimmable

Adjustable output using DIP switch.



new

IP20




Output Current	100mA	150mA	200mA	250mA	300mA	350mA	
Output Power	0,9-4,2W	1,35-6,3W	1,8-8,4W	2,25-8,25W	2,7-8,1W	3,15-8,4W	

Order Code	Input	Power	Output	Class	Dimmable		Notes
89009UT	230V	Refer to table	Adjustable		YES	126	Use TRIAC dimmer

Drivers

Adjustable Constant Current DALI Dimmable
DALI & Push to DIM**89007AL** | DALI & Push to DIM | Dimmable

Adjustable output using DIP switches.



new
IP20

LED Current Selection

350mA	☐	☐	☐
400mA	☒	☐	☐
450mA	☐	☒	☐
500mA	☐	☐	☒
550mA	☐	☐	☒
600mA	☒	☐	☐
650mA	☐	☒	☐
700mA	☐	☐	☒
	1	2	3



Output Current	350mA	400mA	450mA	500mA	550mA	600mA	650mA	700mA
Output Power	1,75-7W	2-8W	2,25-7,65W	2,5-8W	2,75-7,7W	3-7,8W	3,25-7,8W	3,5-7,7W

Order Code	Input	Power	Output	Class	Dimmable		Notes
89007AL	230V	Refer to table	Adjustable		YES	50	DALI & Push to DIM

**89015L** | DALI & Push to DIM | Dimmable

Adjustable output using DIP switches.



new
IP20

LED Current Selection

120mA	☐	☐	☐
150mA	☒	☐	☐
180mA	☐	☒	☐
210mA	☐	☐	☒
250mA	☐	☐	☒
280mA	☒	☐	☐
320mA	☐	☒	☐
350mA	☐	☐	☒
	1	2	3



Output Current	120mA	150mA	180mA	210mA	250mA	280mA	320mA	350mA
Output Power	1,08-5,76W	1,35-7,20W	1,62-8,64W	1,89-10W	2,25-12W	2,52-13,44W	2,88-15W	3,15-14,7W

Order Code	Input	Power	Output	Class	Dimmable		Notes
89015L	230V	Refer to table	Adjustable		YES	50	DALI & Push to DIM

**89015AL** | DALI & Push to DIM | Dimmable

Adjustable output using DIP switches.



new
IP20

LED Current Selection

350mA	☐	☐	☐
400mA	☒	☐	☐
450mA	☐	☒	☐
500mA	☐	☐	☒
550mA	☐	☐	☒
600mA	☒	☐	☐
650mA	☐	☒	☐
700mA	☐	☐	☒
	1	2	3



Output Current	350mA	400mA	450mA	500mA	550mA	600mA	650mA	700mA
Output Power	3,15-14,7W	3,6-14,8W	4,05-14,85W	4,5-15W	4,95-14,85W	5,4-15W	5,85-14,95W	6,3-14,7W

Order Code	Input	Power	Output	Class	Dimmable		Notes
89015AL	230V	Refer to table	Adjustable		YES	50	DALI & Push to DIM


Adjustable Constant Current DALI Dimmable

DALI & Push to DIM



89026AL | DALI & Push to DIM | Dimmable

Adjustable output using DIP switches.



new
IP20

LED Current Selection

160mA	●	●	○	○
200mA	○	○	○	○
250mA	○	○	○	○
300mA	○	○	○	○
350mA	○	○	○	○
400mA	○	○	○	○
	1	2	3	4
450mA	○	○	○	○
500mA	○	○	○	○
550mA	○	○	○	○
600mA	○	○	○	○
650mA	○	○	○	○
700mA	○	○	○	○
	1	2	3	4




Output Current	160mA	200mA	250mA	300mA	350mA	400mA	450mA	500mA	550mA	600mA	650mA	700mA
Output Power	4,80-8W	6-10W	5-12,50W	6-15W	7-17,50W	8-20W	9-22,50W	10-25W	11-25,85W	12-25,80W	13-26W	14-26W

Order Code	Input	Power	Output	Class	Dimmable		Notes
89026AL	230V	Refer to table	Adjustable		YES	50	DALI & Push to DIM



89044L | DALI & Push to DIM | Dimmable

Adjustable output using DIP switches.



new
IP20

LED Current Selection

700mA	○	○	○
750mA	●	○	○
800mA	○	○	○
850mA	○	○	○
900mA	○	○	○
950mA	○	○	○
1000mA	○	○	○
1050mA	○	○	○
	1	2	3



Output Current	700mA	750mA	800mA	850mA	900mA	950mA	1000mA	1050mA
Output Power	14-35W	15-37,50W	16-40W	17-42,50W	18-43W	19-43,70W	20-40W	21-40W

Order Code	Input	Power	Output	Class	Dimmable		Notes
89044L	230V	Refer to table	Adjustable		YES	50	DALI & Push to DIM

Drivers

The 24V DC TRIAC Dimmable Range

Constant voltage



89050VT | 12-50W | 24V DC | TRIAC | Dimmable



new
IP20



Order Code	Input	Power	Output	Class	Dimmable		Notes
89050VT	230V	12-50W	24V DC		YES	20	Use TRIAC dimmer



89150VT | 20-150W | 24V DC | TRIAC | Dimmable



new
IP20




Order Code	Input	Power	Output	Class	Dimmable		Notes
89150VT	230V	20-150W	24V DC		YES	15	Use TRIAC dimmer



89200VT | 75-200W | 24V DC | TRIAC | Dimmable



new
IP20



Order Code	Input	Power	Output	Class	Dimmable		Notes
89200VT	230V	75-200W	24V DC		YES	15	Use TRIAC dimmer

The 24V DC Slim Range

Constant voltage



89240VL | 240W | 24V DC



new
IP20



Order Code	Input	Power	Output	Class	Dimmable		Notes
89240VL	230V	240W	24V DC		NO	50	-

The 24V DC Slim Dimmable

Constant voltage



89150VLT | 30-150W | 24V DC | TRIAC | Dimmable



new
IP20



Order Code	Input	Power	Output	Class	Dimmable		Notes
89150VLT	230V	30-150W	24V DC		YES	20	Use TRIAC dimmer

The 48V DC Slim Range

Constant voltage



89240XL | 240W | 48V DC



new
IP20



Order Code	Input	Power	Output	Class	Dimmable		Notes
89240XL	230V	240W	48V DC		NO	50	-

Drivers


The 24V DC Waterproof IP67 Range
DALI & Push to DIM



89150VPL | 15-150W | 24V DC | DALI & Push to DIM | Dimmable



new
IP67




Order Code	Input	Power	Output	Class		Dimmable		Notes
89150VPL	230V	15-150W	24V DC		100cm	YES	10	-



89240VPL | 24-240W | 24V DC | DALI & Push to DIM | Dimmable



new
IP67



Order Code	Input	Power	Output	Class		Dimmable		Notes
89240VPL	230V	24-240W	24V DC		100cm	YES	10	-

Marketing



060052 | ONE LIGHT Catalogue 2025 | Edition 1



new