

NEW PRODUCTS 2025

EDITION 4

one

Recessed Spots Fixed LED



10107DX | 7W | COB | Aluminium

new

DARK LIGHT

IP20

90 CRI


5 YEAR

LED BUILT IN

CCT V

CE





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
10107DX/W/V	White	CCT V	3000K-3500K-4000K	7W	560lm	36°	230V						Complete with 160mA driver



10112DX | 12W | COB | Aluminium

new

DARK LIGHT

IP20

90 CRI


5 YEAR

LED BUILT IN

CCT V

CE





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
10112DX/W/V	White	CCT V	3000K-3500K-4000K	12W	960lm	36°	230V						Complete with 300mA driver



10118DX | 18W | COB | Aluminium

new

DARK LIGHT

IP20

90 CRI


5 YEAR

LED BUILT IN


CCT V

CE





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
10118DX/W/V	White	CCT V	3000K-3500K-4000K	18W	1440lm	36°	230V						Complete with 450mA driver



10112BTR | 12W | COB | Trimless | Aluminium

new

DARK LIGHT

IP20

90 CRI

DIMMABLE


5 YEAR

LED BUILT IN

CCT V

CE





2-Step reflector.

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
10112BTR/BS/V	Brass	CCT V	3000K-3500K-4000K	12W	1200lm	38°	700mA						Requires 700mA driver

one

Recessed Spots Adjustable LED



11107P | 6,5W | COB | Aluminium

new

IP54

90 CRI

5 YEAR


LED BUILT IN

DIMMABLE

CCT V

CE





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
11107P/W/V	White	CCT V	3000K-3500K-4000K	6,5W	600lm	36°	700mA						Requires 700mA driver



11107RA | 6,5W | COB | Aluminium

new

DARK LIGHT

IP20

90 CRI

5 YEAR

LED BUILT IN

DIMMABLE

CCT V

CE





Complete with Black & White reflectors.

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
11107RA/W/V	White	CCT V	3000K-3500K-4000K	6,5W	500lm	36°	700mA						Requires 700mA driver



11107RA | 6,5W | COB | Aluminium

new

DARK LIGHT

IP20

90 CRI


5 YEAR

LED BUILT IN

DIMMABLE

CCT V

CE





Complete with Brass & Black reflectors.

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
11107RA/B/V	Black	CCT V	3000K-3500K-4000K	6,5W	500lm	36°	700mA						Requires 700mA driver



11107BT | 6,5W | COB | Trimless | Aluminium

new

DARK LIGHT

IP54

90 CRI

DIMMABLE


5 YEAR

LED BUILT IN

CCT V

CE





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class					Notes
11107BT/W/V	White	CCT V	3000K-3500K-4000K	6,5W	650lm	36°	700mA						Requires 700mA driver



10107Z/W/V + 050378A/W

10107Z | 7W | COB | Aluminium

new

DARK LIGHT

IP20

90 CRI

3 YEAR


LED BUILT IN

CCT V

CE

Reflector must be ordered separately.
050378A/W, 050378A/B, 050378A/BS.





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10107Z/W/V	White	CCT V	3000K-3500K-4000K	7W	560lm	45°	230V		65mm	80mm	40	Complete with 160mA driver



10107Z/B/V + 050378A/BS

10107Z | 7W | COB | Aluminium

new

DARK LIGHT

IP20

90 CRI

3 YEAR


LED BUILT IN

CCT V

CE

Reflector must be ordered separately.
050378A/W, 050378A/B, 050378A/BS.





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10107Z/B/V	Black	CCT V	3000K-3500K-4000K	7W	560lm	45°	230V		65mm	80mm	40	Complete with 160mA driver



10112Z/W/V + 050378B/W

10112Z | 12W | COB | Aluminium

new

DARK LIGHT

IP20

90 CRI

3 YEAR


LED BUILT IN

CCT V

CE

Reflector must be ordered separately.
050378B/W, 050378B/B, 050378B/BS.





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10112Z/W/V	White	CCT V	3000K-3500K-4000K	12W	960lm	45°	230V		82mm	88mm	30	Complete with 300mA driver



10112Z/B/V + 050378B/BS

10112Z | 12W | COB | Aluminium

new

DARK LIGHT

IP20

90 CRI

3 YEAR


LED BUILT IN

CCT V

CE

Reflector must be ordered separately.
050378B/W, 050378B/B, 050378B/BS.





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10112Z/B/V	Black	CCT V	3000K-3500K-4000K	12W	960lm	45°	230V		82mm	88mm	30	Complete with 300mA driver



10120Z/W/V + 050378C/W

10120Z | 20W | COB | Aluminium

new

DARK LIGHT

IP20

90 CRI

3 YEAR


LED BUILT IN

CCT V

CE

Reflector must be ordered separately.
050378C/W, 050378C/B, 050378C/BS.





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10120Z/W/V	White	CCT V	3000K-3500K-4000K	20W	1600lm	45°	230V		105mm	105mm	20	Complete with 500mA driver



10120Z/B/V + 050378C/BS

10120Z | 20W | COB | Aluminium

new

DARK LIGHT

IP20

90 CRI

3 YEAR


LED BUILT IN

CCT V





CE

Reflector must be ordered separately.
050378C/W, 050378C/B, 050378C/BS.





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10120Z/B/V	Black	CCT V	3000K-3500K-4000K	20W	1600lm	45°	230V		105mm	105mm	20	Complete with 500mA driver





10110DH | 10W | COB | Aluminium

Complete with honeycomb.

new

DARK LIGHT

IP20


90 CRI

5 YEAR

LED BUILT IN

cctv

CE



36°

50mm

86mm

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10110DH/W/V	White	CCT V	3000K-3500K-4000K	10W	800lm	36°	230V		75mm	60mm	50	Complete with 250mA driver

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10110DH/W/V	White	CCT V	3000K-3500K-4000K	10W	800lm	36°	230V		75mm	60mm	50	Complete with 250mA driver



10114DH | 14W | COB | Aluminium

Complete with honeycomb.

new

DARK LIGHT

IP20


90 CRI

5 YEAR

LED BUILT IN

cctv

CE



36°

50mm

105mm

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10114DH/W/V	White	CCT V	3000K-3500K-4000K	14W	1120lm	36°	230V		95mm	60mm	30	Complete with 350mA driver



10120DH | 20W | COB | Aluminium

Complete with honeycomb.

new

DARK LIGHT

IP20

90 CRI

5 YEAR

LED BUILT IN

cctv

CE



36°

50mm

135mm

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10120DH/W/V	White	CCT V	3000K-3500K-4000K	20W	1600lm	36°	230V		120mm	60mm	20	Complete with 500mA driver



10130DH | 30W | COB | Aluminium

Complete with honeycomb.

new

DARK LIGHT

IP20

90 CRI

5 YEAR

LED BUILT IN

cctv

CE



36°

57mm

160mm

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10130DH/W/V	White	CCT V	3000K-3500K-4000K	30W	2400lm	36°	230V		145mm	70mm	10	Complete with 750mA driver



10110BX | 10W | SMD | Aluminium

new

IP54

90 CRI

5 YEAR

LED BUILT IN

cctv

CE



90°

50mm

86mm

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10110BX/W/V	White	CCT V	3000K-4000K-5000K	10W	900lm	90°	230V		75mm	60mm	50	Complete with 250mA driver



10115BX | 15W | SMD | Aluminium

new

IP54


90 CRI

5 YEAR

LED BUILT IN

cctv

CE



90°

50mm

105mm

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10115BX/W/V	White	CCT V	3000K-4000K-5000K	15W	1350lm	90°	230V		95mm	60mm	30	Complete with 350mA driver



10120BX | 20W | SMD | Aluminium

new

IP54


90 CRI

5 YEAR

LED BUILT IN

cctv

CE



90°

50mm

135mm

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10120BX/W/V	White	CCT V	3000K-4000K-5000K	20W	1800lm	90°	230V		120mm	60mm	20	Complete with 500mA driver



10125BX | 25W | SMD | Aluminium

new

IP65

90 CRI

5 YEAR

LED BUILT IN

cctv

CE



90°

50mm

190mm

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10125BX/W/V	White	CCT V	3000K-4000K-5000K	25W	2250lm	90°	230V		170mm	80mm	20	Complete with 650mA driver

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
10130BX/W/V	White	CCT V	3000K-4000K-5000K	30W	2700lm	90°	230V		205mm	80mm	10	Complete with 700mA driver



7844L | 7,5W/m | COB LED | 480LEDs/m

Can be connected in 20m full length / 3M Double face adhesive.

new

IP20

LED BUILT IN

90 CRI

DIMMABLE

CE

5 YEAR

7844L COB LED


Supplied in 20m roll.

8mm

Cut every 5cm (24-LED segment)

Beam angle: 38°

Order Code	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
7844L/C	Cool white	4000K	7,5W/m	700lm/m	24V DC		10	Requires 24V DC driver
7844L/W	Warm white	3000K	7,5W/m	675lm/m	24V DC		10	Requires 24V DC driver



7844LW | 7,5W/m | COB LED | 480LEDs/m | Silicone

Can be connected in 20m full length / 3M Double face adhesive.

new

IP67

LED BUILT IN

90 CRI

DIMMABLE

CE

3 YEAR

7844LW COB LED

Supplied in 20m roll.

10mm

Cut every 5cm (24-LED segment)

Beam angle: 38°

Order Code	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
7844LW/C	Cool white	4000K	7,5W/m	700lm/m	24V DC		10	Requires 24V DC driver / Avoid direct sunlight
7844LW/W	Warm white	3000K	7,5W/m	675lm/m	24V DC		10	Requires 24V DC driver / Avoid direct sunlight



7846 | 14W/m | COB LED | 608LEDs/m

3M Double face adhesive.

new

IP20

LED BUILT IN

90 CRI

DIMMABLE

CE

3 YEAR

7846 COB LED

Supplied in 5m roll.

10mm

Cut every 2,63cm (16-LED segment)

Beam angle: 38°

Variable colour temperature.

Order Code	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
7846/DEW	Extra warm white - Daylight	2700K-6500K	14W/m	630lm/m (EW) + 770lm/m (D)	24V DC		50	Requires 24V DC driver



65634BT | 20W PV | COB | Aluminium

new

IP20

LED BUILT IN

90 CRI

ADJUSTABLE

CE

5 YEAR

65634BT COB LED

Supplied in 20m roll.

Beam angle: 38°

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65634BT/W/V	White	CCT V	3000K-3500K-4000K	10W-15W-20W	2200lm@20W	38°	230V		12	Complete with PV driver
65634BT/B/V	Black	CCT V	3000K-3500K-4000K	10W-15W-20W	2200lm@20W	38°	230V		12	Complete with PV driver



65634DT | 35W PV | COB | Aluminium

new

IP20

LED BUILT IN

90 CRI

ADJUSTABLE

CE

5 YEAR

65634DT COB LED

Supplied in 20m roll.

Beam angle: 38°

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65634DT/W/V	White	CCT V	3000K-3500K-4000K	26W-30W-35W	3500lm@35W	38°	230V		10	Complete with PV driver
65634DT/B/V	Black	CCT V	3000K-3500K-4000K	26W-30W-35W	3500lm@35W	38°	230V		10	Complete with PV driver



65670CTT | 40W | COB | TRIAC Dimmable | Aluminium

new

IP20

LED BUILT IN

90 CRI

ADJUSTABLE

CE

5 YEAR

65670CTT COB LED

Supplied in 20m roll.

Beam angle: 38°

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65670CTT/W/V	White	CCT V	3000K-3500K-4000K	40W	4800lm	38°	230V		10	Complete with dimmable driver
65670CTT/B/V	Black	CCT V	3000K-3500K-4000K	40W	4800lm	38°	230V		10	Complete with dimmable driver



65606AT | 10W | COB | Aluminium

new

IP20

LED BUILT IN

90 CRI

CE


↑

CCT V

5 YEAR

ADJUSTABLE





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65606AT/W/V	White	CCT V	3000K-3500K-4000K	10W	1000lm	38°	230V		18	Complete with 250mA driver



65606AT | 10W | COB | Aluminium

new

IP20

LED BUILT IN

90 CRI

CE


↑

CCT V

5 YEAR

ADJUSTABLE





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65606AT/B/V	Black	CCT V	3000K-3500K-4000K	10W	1000lm	38°	230V		18	Complete with 250mA driver



65606BT | 20W PV | COB | Aluminium

new

IP20

LED BUILT IN

90 CRI

CE

↑


CCT V

5 YEAR

ADJUSTABLE

PV





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65606BT/W/V	White	CCT V	3000K-3500K-4000K	10W-15W-20W	2000lm@20W	38°	230V		12	Complete with PV driver



65606BT | 20W PV | COB | Aluminium

new

IP20

LED BUILT IN

90 CRI

CE

↑


CCT V

5 YEAR

ADJUSTABLE

PV





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65606BT/B/V	Black	CCT V	3000K-3500K-4000K	10W-15W-20W	2000lm@20W	38°	230V		12	Complete with PV driver



65606CT | 30W PV | COB | Aluminium

new

IP20

LED BUILT IN

90 CRI

CE

↑


CCT V

5 YEAR

ADJUSTABLE

PV





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65606CT/W/V	White	CCT V	3000K-3500K-4000K	20W-25W-30W	3000lm@30W	38°	230V		10	Complete with PV driver



65606CT | 30W PV | COB | Aluminium

new

IP20

LED BUILT IN

90 CRI

CE

↑


CCT V

5 YEAR

ADJUSTABLE

PV





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65606CT/B/V	Black	CCT V	3000K-3500K-4000K	20W-25W-30W	3000lm@30W	38°	230V		10	Complete with PV driver



65606DT | 40W PV | COB | Aluminium

new

IP20

LED BUILT IN

90 CRI

CE

↑


CCT V

5 YEAR

ADJUSTABLE

PV





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65606DT/W/V	White	CCT V	3000K-3500K-4000K	30W-35W-40W	4000lm@40W	38°	230V		10	Complete with PV driver



65606DT | 40W PV | COB | Aluminium

new

IP20

LED BUILT IN

90 CRI

CE

↑


CCT V

5 YEAR

ADJUSTABLE

PV





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65606DT/B/V	Black	CCT V	3000K-3500K-4000K	30W-35W-40W	4000lm@40W	38°	230V		10	Complete with PV driver

New Items 2025 Edition 4

www.1-light.eu

www.1-light.eu

New Items 2025 Edition 4



42001TR | 42002TR | 48V | Trimless recessed | ON/OFF / DALI | Aluminium

Max 10m/driver | Max 400W/circuit.







Complete with 2 pcs mechanical connectors & 4 pcs side connectors.



Complete with 2 pcs end caps.



Complete with cover.



new

IP20


Order Code	Colour	Length	Input	Class				Notes
42001TR/W	White	1m	48V		42x1000mm	120mm	1	-
42002TR/W	White	2m	48V		42x2000mm	120mm	1	-




42012ATR/W | Trimless recessed corner for 42001TR & 42002TR | Aluminium

Can not pass through cutout hole.








new

IP20

Order Code	Colour	Length	Input	Class				Notes
42001TR/W	White	1m	48V		42x1000mm	120mm	1	-
42002TR/W	White	2m	48V		42x2000mm	120mm	1	-

Wall & Ceiling




65105N | 10W | MR16 | GU10 | Aluminium





65105N/B/B



new

DARK LIGHT

IP20

Order Code	Colour	Reflector	Watts	Input	Class		Notes
65105N/W/W	White	White	10W	100-240V		12	-
65105N/B/B	Black	Black	10W	100-240V		12	-



12110R | 10W | COB | Aluminium





12110R/B/V



Optional White reflector code 050106B/W.



Optional Brass reflector code 050106B/BS.



new

IP20

Order Code	Colour	Reflector	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12110R/W/V	White	Black	CCT V	3000K-3500K-4000K	10W	1000lm	38°	230V		30	Complete with 250mA driver
12110R/B/V	Black	Black	CCT V	3000K-3500K-4000K	10W	1000lm	38°	230V		30	Complete with 250mA driver



12118R | 18W | COB | Aluminium






12118R/B/V



Optional White reflector code 050106C/W.



Optional Brass reflector code 050106C/BS.



new

IP20

Order Code	Colour	Reflector	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12118R/W/V	White	Black	CCT V	3000K-3500K-4000K	18W	1800lm	38°	230V		20	Complete with 450mA driver
12118R/B/V	Black	Black	CCT V	3000K-3500K-4000K	18W	1800lm	38°	230V		20	Complete with 450mA driver



12125R | 25W | COB | Aluminium






12125R/B/V



Optional White reflector code 050106D/W.



Optional Brass reflector code 050106D/BS.



new

IP20

Order Code	Colour	Reflector	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12125R/W/V	White	Black	CCT V	3000K-3500K-4000K	25W	2500lm	38°	230V		18	Complete with 650mA driver
12125R/B/V	Black	Black	CCT V	3000K-3500K-4000K	25W	2500lm	38°	230V		18	Complete with 650mA driver



12106E/W/V

12106E | 6W | COB | Aluminium

new

DARK LIGHT

IP20


90 CRI

3 YEAR


LED BUILT IN

cctv

CE



12106E/B/V



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12106E/W/V	White	CCT V	3000K-3500K-4000K	6W	420lm	38°	230V		50	Complete with 150mA driver
12106E/B/V	Black	CCT V	3000K-3500K-4000K	6W	420lm	38°	230V		50	Complete with 150mA driver



12112E/W/V

12112E | 12W | COB | Aluminium

new

DARK LIGHT

IP20


90 CRI

3 YEAR


LED BUILT IN

cctv

CE



12112E/B/V



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12112E/W/V	White	CCT V	3000K-3500K-4000K	12W	840lm	38°	230V		50	Complete with 300mA driver
12112E/B/V	Black	CCT V	3000K-3500K-4000K	12W	840lm	38°	230V		50	Complete with 300mA driver



12114E/W/V

12114E | 14W | COB | Aluminium

new

DARK LIGHT

IP20


90 CRI

3 YEAR


LED BUILT IN

cctv

CE



12114E/B/V



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12114E/W/V	White	CCT V	3000K-3500K-4000K	14W	980lm	38°	230V		50	Complete with 350mA driver
12114E/B/V	Black	CCT V	3000K-3500K-4000K	14W	980lm	38°	230V		50	Complete with 350mA driver



12112Z/B/V + 050378B/BS

12112Z | 12W | COB | Aluminium

new

DARK LIGHT

IP20

90 CRI

3 YEAR

LED BUILT IN

cctv

CE



12112Z/W/V + 050378B/W



Reflector must be ordered separately.

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12112Z/W/V	White	CCT V	3000K-3500K-4000K	12W	960lm	45°	230V		30	Complete with 300mA driver
12112Z/B/V	Black	CCT V	3000K-3500K-4000K	12W	960lm	45°	230V		30	Complete with 300mA driver



050378B/W White



050378B/B Black



050378B/BS Brass



12120Z/B/V + 050378C/BS

12120Z | 20W | COB | Aluminium

new

DARK LIGHT

IP20

90 CRI

3 YEAR


LED BUILT IN

cctv

CE



12120Z/W/V + 050378C/W



Reflector must be ordered separately.

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12120Z/W/V	White	CCT V	3000K-3500K-4000K	20W	1600lm	45°	230V		24	Complete with 500mA driver
12120Z/B/V	Black	CCT V	3000K-3500K-4000K	20W	1600lm	45°	230V		24	Complete with 500mA driver



050378C/W White



050378C/B Black



050378C/BS Brass



67359/AN/V

67359 | 3W | SMD | Aluminium

new

DARK LIGHT

IP65

80 CRI

2 YEAR


LED BUILT IN

CCT V

CE



67359/W/V



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67359/W/V	White	CCT V	2200K-2700K-3200K-4000K	3W	200lm	230V		32	Complete with 350mA driver
67359/AN/V	Anthracite	CCT V	2200K-2700K-3200K-4000K	3W	200lm	230V		32	Complete with 350mA driver



62002A/W/V

62002A | 22W+3W | SMD | ABS + PC

new

IP20

90 CRI

3 YEAR

LED BUILT IN

CCT V


CE



62002A/B/V



Backlit.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62002A/W/V	White	CCT V	2700K-3200K-4000K	22W+3W	2400lm	230V		10	Complete with driver
62002A/B/V	Black	CCT V	2700K-3200K-4000K	22W+3W	2400lm	230V		10	Complete with driver



67359A/AN/V

67359A | 3W | SMD | Aluminium

new

DARK LIGHT

IP65

80 CRI

2 YEAR


LED BUILT IN

CCT V

CE



67359A/W/V



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67359A/W/V	White	CCT V	2200K-2700K-3200K-4000K	3W	200lm	230V		30	Complete with 350mA driver
67359A/AN/V	Anthracite	CCT V	2200K-2700K-3200K-4000K	3W	200lm	230V		30	Complete with 350mA driver



62002B/W/V

62002B | 30W+3W | SMD | ABS + PC

new

IP20

90 CRI

3 YEAR

LED BUILT IN

CCT V


CE



62002B/B/V



Backlit.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62002B/W/V	White	CCT V	2700K-3200K-4000K	30W+3W	2880lm	230V		10	Complete with driver
62002B/B/V	Black	CCT V	2700K-3200K-4000K	30W+3W	2880lm	230V		10	Complete with driver



67359C/AN/V

67359C | 3W | SMD | Aluminium

new

DARK LIGHT

IP65

80 CRI

2 YEAR


LED BUILT IN

CCT V

CE



67359C/W/V



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67359C/W/V	White	CCT V	2200K-2700K-3200K-4000K	3W	200lm	230V		12	Complete with 350mA driver
67359C/AN/V	Anthracite	CCT V	2200K-2700K-3200K-4000K	3W	200lm	230V		12	Complete with 350mA driver



62002C/W/V

62002C | 38W+4W | SMD | ABS + PC

new

IP20

90 CRI

3 YEAR

LED BUILT IN

CCT V


CE



62002C/B/V



Backlit.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62002C/W/V	White	CCT V	2700K-3200K-4000K	38W+4W	3400lm	230V		8	Complete with driver
62002C/B/V	Black	CCT V	2700K-3200K-4000K	38W+4W	3400lm	230V		8	Complete with driver



62002D/W/V

62002D | 45W+5W | SMD | ABS + PC

new

IP20

90 CRI

3 YEAR

LED BUILT IN

CCT V


CE



62002D/B/V



Backlit.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62002D/W/V	White	CCT V	2700K-3200K-4000K	45W+5W	4500lm	230V		4	Complete with driver
62002D/B/V	Black	CCT V	2700K-3200K-4000K	45W+5W	4500lm	230V		4	Complete with driver

New Items 2025 Edition 4

www.1-light.eu

www.1-light.eu

New Items 2025 Edition 4

one

Plafø



62020AU/W/V

62020AU | 12W | SMD | ABS

Prismatic diffuser.



90 CRI

UGR19

LED BUILT IN

cctv

CE


3 YEAR



62020AU/B/V



Suspension base.
Order code 050138A/W,
050138A/B.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62020AU/W/V	White	CCT V	2800K-3300K-4000K	12W	1080lm	230V		10	Complete with driver
62020AU/B/V	Black	CCT V	2800K-3300K-4000K	12W	1080lm	230V		10	Complete with driver



62020DU/W/V

62020DU | 32W | SMD | ABS

Prismatic diffuser.



90 CRI

UGR19

LED BUILT IN

cctv

CE


3 YEAR



62020DU/B/V



Suspension base.
Order code 050138A/W,
050138A/B.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62020DU/W/V	White	CCT V	2800K-3300K-4000K	32W	2880lm	230V		10	Complete with driver
62020DU/B/V	Black	CCT V	2800K-3300K-4000K	32W	2880lm	230V		10	Complete with driver



62020BU/W/V

62020BU | 18W | SMD | ABS

Prismatic diffuser.



90 CRI

UGR19

LED BUILT IN

cctv

CE


3 YEAR



62020BU/B/V



Suspension base.
Order code 050138A/W,
050138A/B.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62020BU/W/V	White	CCT V	2800K-3300K-4000K	18W	1620lm	230V		10	Complete with driver
62020BU/B/V	Black	CCT V	2800K-3300K-4000K	18W	1620lm	230V		10	Complete with driver



62020EU/W/V

62020EU | 40W | SMD | ABS

Prismatic diffuser.



90 CRI

UGR19

LED BUILT IN

cctv

CE


3 YEAR



62020EU/B/V



Suspension base.
Order code 050138A/W,
050138A/B.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62020EU/W/V	White	CCT V	2800K-3300K-4000K	40W	3600lm	230V		5	Complete with driver
62020EU/B/V	Black	CCT V	2800K-3300K-4000K	40W	3600lm	230V		5	Complete with driver



62020CU/W/V

62020CU | 24W | SMD | ABS

Prismatic diffuser.



90 CRI

UGR19

LED BUILT IN

cctv

CE


3 YEAR



62020CU/B/V



Suspension base.
Order code 050138A/W,
050138A/B.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62020CU/W/V	White	CCT V	2800K-3300K-4000K	24W	2160lm	230V		10	Complete with driver
62020CU/B/V	Black	CCT V	2800K-3300K-4000K	24W	2160lm	230V		10	Complete with driver



62020FU/W/V

62020FU | 50W | SMD | ABS

Prismatic diffuser.



90 CRI

UGR19

LED BUILT IN

cctv

CE


3 YEAR



62020FU/B/V



Suspension base.
Order code 050138A/W,
050138A/B.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62020FU/W/V	White	CCT V	2800K-3300K-4000K	50W	4500lm	230V		5	Complete with driver
62020FU/B/V	Black	CCT V	2800K-3300K-4000K	50W	4500lm	230V		5	Complete with driver



62020HU | 18W | SMD | ABS

LED BUILT IN

90 CRI UGR19 cctv


new IP20

CE 3 YEAR



Suspension base.
Order code 050138B/W.

Prismatic diffuser.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62020HU/W/V	White	CCT V	2800K-3300K-4000K	18W	1530lm	230V		10	Complete with driver



62020HU | 18W | SMD | ABS

LED BUILT IN

90 CRI UGR19 cctv


new IP20

CE 3 YEAR



Suspension base.
Order code 050138B/B.

Prismatic diffuser.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62020HU/B/V	Black	CCT V	2800K-3300K-4000K	18W	1530lm	230V		10	Complete with driver



62020JU | 24W | SMD | ABS

LED BUILT IN

90 CRI UGR19 cctv


new IP20

CE 3 YEAR



Suspension base.
Order code 050138B/W.

Prismatic diffuser.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62020JU/W/V	White	CCT V	2800K-3300K-4000K	24W	2040lm	230V		10	Complete with driver



62020JU | 24W | SMD | ABS

LED BUILT IN

90 CRI UGR19 cctv


new IP20

CE 3 YEAR



Suspension base.
Order code 050138B/B.

Prismatic diffuser.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62020JU/B/V	Black	CCT V	2800K-3300K-4000K	24W	2040lm	230V		10	Complete with driver



62020KU | 32W | SMD | ABS

LED BUILT IN

90 CRI UGR19 cctv

new IP20

CE 3 YEAR



Suspension base.
Order code 050138B/W.

Prismatic diffuser.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62020KU/W/V	White	CCT V	2800K-3300K-4000K	32W	2720lm	230V		10	Complete with driver



62020KU | 32W | SMD | ABS

LED BUILT IN

90 CRI UGR19 cctv

new IP20

CE 3 YEAR




Suspension base.
Order code 050138B/B.

Prismatic diffuser.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62020KU/B/V	Black	CCT V	2800K-3300K-4000K	32W	2720lm	230V		10	Complete with driver



62020LU | 40W | SMD | ABS

LED BUILT IN

90 CRI UGR19 cctv

new IP20

CE 3 YEAR



Suspension base.
Order code 050138B/W.

Prismatic diffuser.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62020LU/W/V	White	CCT V	2800K-3300K-4000K	40W	3400lm	230V		5	Complete with driver



62020LU | 40W | SMD | ABS

LED BUILT IN

90 CRI UGR19 cctv

new IP20

CE 3 YEAR




Suspension base.
Order code 050138B/B.

Prismatic diffuser.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62020LU/B/V	Black	CCT V	2800K-3300K-4000K	40W	3400lm	230V		5	Complete with driver



62020MU | 50W | SMD | ABS

Prismatic diffuser.

new

IP20

90

CRI

UGR19

LED


BUILT IN

CCT V


CE

3

YEAR




Suspension base.
Order code 050138B/W.





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62020MU/W/V	White	CCT V	2800K-3300K-4000K	50W	4000lm	230V		5	Complete with driver



62020MU | 50W | SMD | ABS

Prismatic diffuser.

new

IP20

90

CRI

UGR19

LED


BUILT IN

CCT V


CE

3

YEAR



Suspension base.
Order code 050138B/B.





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62020MU/B/V	Black	CCT V	2800K-3300K-4000K	50W	4000lm	230V		5	Complete with driver



62020PU | 60W | SMD | ABS

Prismatic diffuser.

new

IP20

90

CRI

UGR19

LED

BUILT IN

CCT V


CE

3

YEAR



Suspension base.
Order code 050138B/W.





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62020PU/W/V	White	CCT V	2800K-3300K-4000K	60W	4500lm	230V		4	Complete with driver



62020PU | 60W | SMD | ABS

Prismatic diffuser.

new

IP20

90

CRI

UGR19

LED

BUILT IN

CCT V


CE

3

YEAR



Suspension base.
Order code 050138B/B.





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62020PU/B/V	Black	CCT V	2800K-3300K-4000K	60W	4500lm	230V		4	Complete with driver



65746RA | 3W | SMD | Wall recessed | Aluminium

With switch, USB type A and USB type C.

new

IP20

90

CRI

ADJUSTABLE

LED

BUILT IN


CE

3

YEAR



Complete with
Black & Brass reflectors.





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes	
65746RA/B/W	Black	Warm white	3000K	3W	150lm	36°	230V			170x65mm	50mm	24	Complete with 700mA driver



62020MU | 50W | SMD | ABS

Prismatic diffuser.

new

IP20

90

CRI

UGR19

LED

BUILT IN

CCT V

CE

3

YEAR




Suspension base.
Order code 050138B/B.





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62020MU/B/V	Black	CCT V	2800K-3300K-4000K	50W	4000lm	230V		5	Complete with driver



38108N | 8W | SMD | Aluminium + PC

new

IP44

90

CRI

CCT V


LED

BUILT IN

CE


2

YEAR





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
38108N/W/V	White	CCT V	3000K-3500K-4000K	8W	700lm	230V		12	Complete with 180mA driver



38108N | 8W | SMD | Aluminium + PC

new

IP44

90

CRI

CCT V


LED

BUILT IN

CE

2

YEAR





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
38108N/B/V	Black	CCT V	3000K-3500K-4000K	8W	700lm	230V		12	Complete with 180mA driver

New Items 2025 Edition 4

www.1-light.eu

www.1-light.eu

New Items 2025 Edition 4




68068B/W/V

68068B | 6W | SMD | Aluminium

Supplied with box for concrete installation.






Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class					Notes
68068B/W/V	White	CCT V	2200K-2700K-3200K-4000K	6W	400lm	230V		145x70mm	130x60mm	80mm	12	Complete with 300mA driver
68068B/AN/V	Anthracite	CCT V	2200K-2700K-3200K-4000K	6W	400lm	230V		145x70mm	130x60mm	80mm	12	Complete with 300mA driver
68068B/B/V	Black	CCT V	2200K-2700K-3200K-4000K	6W	400lm	230V		145x70mm	130x60mm	80mm	12	Complete with 300mA driver
68068B/G/V	Grey	CCT V	2200K-2700K-3200K-4000K	6W	400lm	230V		145x70mm	130x60mm	80mm	12	Complete with 300mA driver



68068A | 3W | SMD | Aluminium

Supplied with box for concrete installation.






Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class					Notes
68068A/AN/V	Anthracite	CCT V	2200K-2700K-3200K-4000K	3W	300lm	230V		110x110mm	100x100mm	60mm	24	Complete with 350mA driver



70118A | SMD | DOB | 50W | Aluminium + PC

Mounting bracket must be ordered separately.






Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class			Notes
70118A/AN/V	Anthracite	CCT V	3000K-4000K-5000K	50W	5000lm	130°x75°	230V		100cm	6	-



70118B | SMD | DOB | 100W | Aluminium + PC

Mounting bracket must be ordered separately.






Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class			Notes
70118B/AN/V	Anthracite	CCT V	3000K-4000K-5000K	100W	10000lm	130°x75°	230V		100cm	5	-



70118C | SMD | DOB | 150W | Aluminium + PC

Mounting bracket must be ordered separately.






Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class			Notes
70118C/AN/V	Anthracite	CCT V	3000K-4000K-5000K	150W	15000lm	130°x75°	230V		100cm	5	-



70118D | SMD | DOB | 200W | Aluminium + PC

Mounting bracket must be ordered separately.





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class			Notes
70118D/AN/V	Anthracite	CCT V	3000K-4000K-5000K	200W	20000lm	130°x75°	230V		100cm	5	-



63100NB | 100W PV | SMD | Aluminium + PC

new

IP65

80 CRI

IK09

LED BUILT IN


CCT V

PV

CE

5 YEAR





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class			Notes
63100NB/V	Black	CCT V	3000K-4000K-5000K	60W-80W-100W	15000lm@100W	70°-90°-110°	230V		50cm	1	Complete with PV driver



63100L/C | SMD | 100W | Linear high bay | Aluminium

new

IP65

80 CRI

IK06

LED BUILT IN


ADJUSTABLE

3 YEAR

CE

3 YEAR





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class			Notes
63100L/C	Black	Cool white	4000K	100W	10000lm	120°	120-240V		100cm	6	Complete with driver



63150NB | 150W PV | SMD | Aluminium + PC

new

IP65

80 CRI

IK09

LED BUILT IN


CCT V

PV


CE

5 YEAR





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class			Notes
63150NB/V	Black	CCT V	3000K-4000K-5000K	80W-120W-150W	22500lm@150W	70°-90°-110°	230V		50cm	1	Complete with PV driver



63150L/C | SMD | 150W | Linear high bay | Aluminium

new

IP65

80 CRI

IK06

LED BUILT IN


ADJUSTABLE

3 YEAR

CE

3 YEAR





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class			Notes
63150L/C	Black	Cool white	4000K	150W	15000lm	120°	120-240V		100cm	4	Complete with driver



63200NB | 200W PV | SMD | Aluminium + PC

new

IP65

80 CRI

IK09

LED BUILT IN


CCT V

PV


CE

5 YEAR





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class			Notes
63200NB/V	Black	CCT V	3000K-4000K-5000K	100W-150W-200W	30000lm@200W	70°-90°-110°	230V		50cm	1	Complete with PV driver



63200L/C | SMD | 200W | Linear high bay | Aluminium

new

IP65

80 CRI

IK06

LED BUILT IN


ADJUSTABLE

3 YEAR

CE

3 YEAR





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class			Notes
63200L/C	Black	Cool white	4000K	200W	20000lm	120°	120-240V		100cm	4	Complete with driver

New Items 2025 Edition 4

www.1-light.eu

www.1-light.eu

New Items 2025 Edition 4



89404A | 4W | LED | Emergency 3Hrs Maintained | PC

Auto self-test & test button.




LED
BUILT IN

new
IP65



Supplied with 3 stickers.



352mm
65mm
110mm

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Battery Type	Battery Duration		Notes
89404A	White	Daylight	6000K	4W	400lm	230V		Li-FePO4 3,2V 1,5Ah	3Hrs	12	Supplied with battery



22008AB | 500W (LED) / 1000W (Incandescent) | Recessed infrared motion sensor




360°

new
IP20



18m

Detection Angle: 360°
Detection Distance: Max. 8m (<24°C)
Time Delay: 10sec ± 3sec to 30min ± 2 min (adjustable)
Ambient Light: <3-2000lux (adjustable)
Installation height: 1,8-4m



76mm
48mm

Order Code	Colour	Power	Input	Class				Notes
22008AB	White	500W (LED) / 1000W (Incandescent)	230V		64mm	60mm	50	-

Control & Dimming



22004M | 250W (LED) / 500W (Incandescent) | Surface microwave motion sensor




360°

new
IP20



16m

Detection Angle: 360°
Detection Distance: Max. 16m (adjustable) (<24°C)
Time Delay: 10sec ± 3sec to 15min ± 1 min (adjustable)
Ambient Light: <3-2000lux (adjustable)
Installation height: 2-6m



102mm
24mm

Order Code	Colour	Power	Input	Class		Notes
22004M	White	250W (LED) / 500W (Incandescent)	230V		50	Cable entry is from the back



22008P | 800W (LED) / 1600W (Incandescent) | Recessed infrared motion & presence sensor




360°

new
IP20




6m

Detection Angle: 360°
Detection Distance: Max. 6m (adjustable) (<24°C)
Time Delay: 10sec ± 3sec to 15min ± 2 min (adjustable)
Ambient Light: <3-2000lux (adjustable)
Installation height: 2,2-4m



76mm
70mm

Order Code	Colour	Power	Input	Class		Notes
22008P	White	800W (LED) / 1600W (Incandescent)	230V		50	-



22004P | 800W (LED) / 1600W (Incandescent) | Surface infrared motion & presence sensor




360°

new
IP20



6m

Detection Angle: 360°
Detection Distance: Max. 6m (adjustable) (<24°C)
Time Delay: 10sec ± 3sec to 15min ± 2 min (adjustable)
Ambient Light: <3-2000lux (adjustable)
Installation height: 2-6m



115mm
24mm

Order Code	Colour	Power	Input	Class		Notes
22004P	White	800W (LED) / 1600W (Incandescent)	230V		50	Cable entry is from the back



0802BA | Waterproof screwless connection box 2 WAY | 16A | 450V | Cable diameter 4-11mm



new



2 YEAR



200



98mm

29mm



0802A | Waterproof screwless connection box 3 WAY | 16A | 450V | Cable diameter 4-11mm



new



2 YEAR



100



130mm

87mm



0802C | Waterproof screwless connection box 4 WAY | 16A | 450V | Cable diameter 4-11mm



new



2 YEAR



100



130mm

130mm



0802D | Waterproof connection box 4 WAY | 24A | 450V | Cable diameter 4-14mm




new



2 YEAR



20



Suitable for driver protection.

165mm

151mm



6322C | Metal body | White ABS blades | Ceiling mounted | 6 Speed | Winter reverse mode



new



85 CRI




DC MOTOR



3 YEAR



CCT V



Extra Remote control 030152A.



120°

1200mm

270mm

Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	Beam Angle	FAN Watts	Input	Class		Notes
6322C/W/V	White	CCT V	3000K-4000K-5500K	15W	1400lm	120°	29W	230V		1	Complete with remote control



6322C | Metal body | Black ABS blades | Ceiling mounted | 6 Speed | Winter reverse mode



new



85 CRI




DC MOTOR



3 YEAR



CCT V



Extra Remote control 030152A.



120°

1200mm

270mm

Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	Beam Angle	FAN Watts	Input	Class		Notes
6322C/B/V	Black	CCT V	3000K-4000K-5500K	15W	1400lm	120°	29W	230V		1	Complete with remote control



6300A | Metal body | White ABS blades | Ceiling mounted | 6 Speed | Winter reverse mode



new



85 CRI




DC MOTOR



3 YEAR



CCT V



Extra Remote control 030152A.



200mm

1200mm

Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	FAN Watts	Input	Class		Notes
6300A/W/V	White	CCT V	3000K-4000K-5500K	28W	2000lm	20W	230V		1	Complete with remote control



6300A | Metal body | Black ABS blades | Ceiling mounted | 6 Speed | Winter reverse mode



new



85 CRI




DC MOTOR



3 YEAR



CCT V



Extra Remote control 030152A.



200mm

1200mm

Order Code	Colour	Light Colour	CCT (K)	LED Watts	Lumen (lm)	FAN Watts	Input	Class		Notes
6300A/B/V	Black	CCT V	3000K-4000K-5500K	28W	2000lm	20W	230V		1	Complete with remote control

New Items 2025 Edition 4

www.1-light.eu

www.1-light.eu

New Items 2025 Edition 4



060054 | ONE LIGHT Catalogue 2027 | Edition 1



new